

MATERIAL SAFETY DATA SHEET

Version Number: 2 Preparation date: 2007-01-10

1. PRODUCT AND COMPANY IDENTIFICATION

Product name: G-Force Floor Finish

MSDS #: MS0400004
Product code: 4119172
Recommended use: Floor care.

Manufacturer, importer, supplier:

US Headquarters The Butcher Company 8310 16th St.

Sturtevant, Wisconsin 53177-0902

Phone: 1-800-225-9475 MSDS Internet Address: www.thebutchercompany.com

Emergency telephone number: 1-800-228-5635 (Prosar); 1-651-917-6133 (Int'l Prosar); 01-800-710-3400 (México)

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

CAUTION

MAY BE MILDLY IRRITATING TO EYES

MAY BE MILDLY IRRITATING TO SKIN

Principle routes of exposure:Eye contact. Skin contact. Inhalation.Eye contact:May be mildly irritating to eyes.Skin contact:May be mildly irritating to skin.

Inhalation:None known.Ingestion:None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS COMPONENTS

Ingredient(s)	CAS#	Weight %
Dipropylene glycol methyl ether	34590-94-8	1 - 5%
Diethylene glycol monoethyl ether	111-90-0	1 - 5%

4. FIRST AID MEASURES

Eye contact: Flush immediately with plenty of water. Get medical attention if irritation occurs.

Skin contact: Flush immediately with plenty of water. Get medical attention if irritation occurs.

Inhalation: No specific first aid measures are required.

Ingestion: No specific first aid measures are required.

Aggravated Medical Conditions: Persons with pre-existing skin disorders may be more susceptable to irritating effects

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:

Use dry chemical, CO2, water spray or "alcohol" foam.

Extinguishing media which must not be used for safety reasons:

No information available

G-Force Floor Finish 1 of 4

MS0400004 Version Number: 2 Preparation date: 2007-01-10

Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

Specific hazards: Not applicable **Unusual hazards:** None known

Specific methods: No special methods required

NFPA Health: 1 Flammability: 0 Instability: 0

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:Use personal protective equipment

Environmental precautions Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Use a

and clean-up methods: water rinse for final clean-up.

7. HANDLING AND STORAGE

Handling: Avoid contact with skin and eyes. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage: Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure:

No special ventilation requirements. General room ventilation is adequate.

Personal Protective Equipment

Eye protection:No special requirements under normal use conditionsHand protection:No special requirements under normal use conditionsSkin and body protection:No special requirements under normal use conditionsRespiratory protection:No special requirements under normal use conditions

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice

Ingredient(s)	ACGIH	OSHA	Mexico
Dipropylene glycol methyl ether	150 ppm (STEL)		150 ppm (STEL)
	100 ppm (TWA)		900 mg/m ³ (STEL)
			$60 \text{ mg/m}^3 \text{ (TWA)}$
			100 ppm (TWA)

HMIS Health 1 Fire Hazard 0 Reactivity 0

Personal protective equipment

None / Aucune / Ninguno

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid
Color: Off-white
Appearance: Liquid
Odor: Slight Ammoniacal

pH: 7.78 **Dilution pH:** No information available.

Specific gravity: 1.027 Density: 8.60

Bulk density: No information available

Evaporation Rate No information available

Viscosity: No information available

Viscosity: No information available

Solubility: Dispersible **VOC:** 3.04% *

Solubility in other solvents: No information available

Partition coefficient (n-octanol/water): No information available

Boiling point/range:	Not determined
Melting point/range:	Not determined
Flash point:	>200°F >93.3°C

MS0400004 Version Number: 2 Preparation date: 2007-01-10

9. PHYSICAL AND CHEMICAL PROPERTIES			
Decomposition temperature:	Not determined		
Autoignition temperature:	No information available		

* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

10. STABILITY AND REACTIVITY

Stability: The product is stable

Polymerization: Hazardous polymerization does not occur

Hazardous decomposition products: None reasonably foreseeable.

11. TOXICOLOGICAL INFORMATION

HAZARDOUS COMPONENTS

Ingredient(s)	LD50 Oral - Rat	LD50 Dermal - Rabbit	LC50 Inhalation - Rat
Dipropylene glycol methyl ether	=5230 mg/kg	=9500 mg/kg	Not available
Diethylene glycol monoethyl ether	=1920 mg/kg	=4200 μL/kg	5.24 g/m^3

Acute toxicity Oral LD50 estimated to be greater than 5000 mg/kg Dermal LD50 estimated to be > 2000 mg/kg

Chronic toxicity: None known

Specific effects

Carcinogenic effects: None known Mutagenic effects: None known Reproductive toxicity: None known Target organ effects: None known

12. ECOLOGICAL INFORMATION

Environmental Information: No data available

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products:

Dispose of according to all federal, state and local applicable regulations

14. TRANSPORT INFORMATION

DOT/TDG: Please refer to the Bill of Lading/receiving documents for up to date shipping information

15. REGULATORY INFORMATION

International Inventories

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP).

U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

STATE RIGHT TO KNOW

Ingredient(s)	CAS#	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-	-	-	-
Tributoxyethyl phosphate	78-51-3	-	-	-	-
Diethylene glycol dibenzoate	120-55-8	-	-	-	-
Triethylene glycol dibenzoate	120-56-9	-	-	-	-
Dipropylene glycol methyl ether	34590-94-8	X	X	X	X
Styrene acrylic polymer	TS*	-	-	-	-
Diethylene glycol monoethyl ether	111-90-0	-	-	X	-

CERCLA/ SARA

T 14 (/)	TTT 4 T . A /	CERCE LIGHT L DO CEN	C .1 .000 TD O (II)	0 1 010
Ingredient(s)	Weight %	CERCLA/SARA RO (lbs)	Section 302 TPO (lbs)	Section 313

Diethylene glycol monoethyl ether	1 - 5%		X
111-90-0			

CAA HAP/CAA ODS/CWA Priority Pollutants: None

Ingredient(s)	CAA HAP	CAA ODS	CWA Priority Pollutants
Diethylene glycol monoethyl ether	X		
111-90-0			

SARA 311/312 Hazard Categories

Immediate: Delayed: Fire: Reactivity: Sudden Release of Pressure: -

Canada

WHMIS hazard class: Non-controlled.

Ingredient(s)	CAS#	NPRI
Dipropylene glycol methyl ether	34590-94-8	X
Diethylene glycol monoethyl ether	111-90-0	X

16. OTHER INFORMATION

Reason for revision: Not applicable

Prepared by: NAPRAC

Additional advice: None

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.