

# MATERIAL SAFETY DATA SHEET

# SECTION I - SUPPLIER INFORMATION

Product Name:

Pitt Penn Premium Windshield Washer Concentrate

Product Number:

803025, 803070 & 803075

Bulk Stock Number:

027849

Synonyms:

Methanol, Methyl Alcohol, Wood Alcohol, Columbian

Spirits, Carbinol

Chemical Formula:

CH<sub>3</sub>OH - Mixture of water, Methanol, and dye ("The

Solution")

CAS Name & Number:

Methanol (67-56-1)

Chemical Family:

Aliphatic Alcohol

Supplier's Name & Address:

Pitt Penn Oil Co.

426 Freeport Road

P.O. Box 296

Creighton, PA 15030 (724) 226-2712

Emergency Phone Number:

Chem Tel, Inc. 1-800-255-3924 (24 hours)

# SECTION II - HAZARDOUS INGREDIENT INFORMATION

Date Prepared:

April 17, 2000

| Ingredient              | CAS#                 | <u>% vo</u> l        | ACGIH TWA<br>(Units) | ACGIH STEL (Units) | OSHA TWA<br>(Units) |
|-------------------------|----------------------|----------------------|----------------------|--------------------|---------------------|
| Methyl Alcohol<br>Water | 67-56-1<br>7732-18-5 | 80 - 90%<br>10 - 20% | 200 ppm              | 200 ppm            | 200 ppm             |

There is a "skin" notation that indicates that absorption through the skin can contribute significantly to overall exposure.

Product Name: Pitt Penn Premium Windshield Washer Concentrate

Page 2

## SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 148 ° F

Specific Gravity (Water=1): 0.850\*

Vapor Pressure (mm of Mercury): 97 @ 68 ° F

Melting Point: -98 ° C (-144 ° F)

Solubility (in Water): Totally miscible

Vapor Density (Air=1): 1.1

p.H.: Not applicable

Percent Volatile (by Weight): 80 - 90\*

Evaporation Rate (Butyl Acetate=1): 5.9 Molecular Weight: 32.05

Appearance: Light blue liquid

Odor: Pungent alcohol odor

\* Indicates the true property for the "solution".

# SECTION IV - FIRE AND EXPLOSION DATA

Special Fire Fighting Procedures: Firefighters should use self-contained breathing apparatus

with full face piece operated in pressure demand or other positive pressure mode, and wear full protective clothing. Methanol burns with a clean, clear flame, almost invisible

in daylight.

Flashpoint and Method: 14 ° C (58 ° F)\* (closed cup)

Extinguishing Media: Carbon dioxide, dry chemical, alcohol foam, and water.

Unusual Fire & Explosion Hazards: Moderate explosion hazard and dangerous fire hazard when

exposed to heat, sparks, or flames and can react vigorously

with oxidizing agents.

Flammable Limits (% by volume): 6 LEL 36 UEL

Autoignition Temperature: 388-470 °C (730-878 °F) - depending on method.

## SECTION V - REACTIVITY DATA

Stability: Stable

Conditions and Materials to Avoid: Heat, strong oxidizing agents

Hazardous Polymerization: Will not occur

Hazardous Decomposition Products: Toxic gases and vapors (i.e., carbon monoxide,

formaldehyde) may be released in a Methanol fire.

Incompatibility: Strong oxidizing agents such as nitrates,

Product Name: Pitt Penn Premium Windshield Washer Concentrate

Page 3

perchlorates or sulfuric acid.

## SECTION VI - HEALTH HAZARD DATA/FIRST AID

Effects of Overexposure:

Methanol is a poisonous, narcotic chemical that can affect the body through inhalation, ingestion, and perhaps prolonged or repeated skin contact. Absorption by inhalation or ingestion is rapid and excretion is much slower than for ethyl alcohol, resulting in delayed effects or compounding of effects by repeated exposure. It is important to be aware that after ingestion or inhalation, initial symptoms may be only that of mild intoxication, but may become severe after 12 to 18 hours. Toxic effects are exerted upon the central nervous system, especially the optic nerve. Ingestion can produce blindness; 100-250 ml can be fatal. Symptoms of overexposure include dizziness, visual impairment, nausea, respiratory failure, muscular in coordination and narcosis. Prolonged or repeated skin contact may cause dermatitis, erythema, scaling, and possibly systemic effects. See also Section VII.

#### ROUTES OF ENTRY/EMERGENCY AND FIRST AID PROCEDURES

Eyes: Wash eyes immediately with running water, lifting the lower and upper

lids occasionally. Get medical attention as soon as possible.

Skin: Remove contaminated clothing and wipe excess off. Wash affected area

with soap and water, apply skin lotions. If skin irritation persists, get

medical attention.

Inhalation: Remove victim to fresh air at once. Restore and/or support breathing as

required. Keep victim warm and at rest. Get medical attention as soon as

possible. Prevent exposure to Methanol for seven (7) days.

Ingestion: Get medical attention immediately. Induce vomiting with one (1)

tablespoon of Ipecac or by touching the back of the throat (ONLY IF CONSCIOUS). Once vomiting has occurred, have the patient drink milk, water, or a solution of sodium bicarbonate (baking soda) in water - two

(2) teaspoons per glass.

Reproductive Effects: Reported to cause birth defects in rats exposed to 20,000 ppm

Tetratogenicity:

No

Metagenicity:

No

Carcinogenicity: Not listed with IARC, NTP, ACGIH or OSHA as a carcinogen.

Product Name: Pitt Penn Premium Windshield Washer Concentrate

Page 4

# SECTION VII - PRECAUTIONS FOR SAFE HANDLING

Precautions to be Taken in Handling and Storage:

Ground and electrically interconnect containers for transfer. Use spark proof tools. No smoking in areas of use or storage. Avoid prolonged or repeated breathing of vapor or contact with skin. Avoid contact with eyes, wear safety glasses or a face shield where splashing can occur. Contact lenses should not be worn while handling the material. Eye wash stations and safety showers should be available in area of use. Do not ingest! Store in a well-ventilated, fireproof area, away from sources of heat, open flame, and ignition.

Other Precautions: Provide preplacement medical exams for industrial workers frequently exposed,

with emphasis on neurological and visual functions, liver and kidney systems.

Provide suitable training to those working with Methanol. Monitor the

workplace. Keep records.

Registrations/Certifications:

Not applicable

NOTE: Most of these requirements are for Methanol. Since the Windshield Wash Concentrate solution is 80 - 90% by volume Methanol, the requirements listed above are very strict and should be followed closely.

# SECTION VIII - SPECIAL PROTECTION AND CONTROL MEASURES

# PERSONAL PROTECTIVE EQUIPMENT

Eye Protection:

Safety glasses with side shields or face shield.

Respiratory Protection: Any air supplied respirator or self-contained breathing apparatus.

Only NIOSH or OSHA approved equipment should be used.

Other:

Impervious aprons, boots and face shields (8-inch min.) where

splashing can occur.

**VENTILATION** 

Local Exhaust:

To meet TLV requirements, local exhaust should be used where

vapor exposure is likely.

Mechanical (general):

Controls must be spark proof and explosion proof.

Special:

Not applicable

Other:

Not applicable

## SECTION IX - HANDLING OF SPILLS AND LEAKS

Product Name: Pitt Penn Premium Windshield Washer Concentrate

Page 5

#### STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

1. Remove all ignition sources.

- 2. Provide adequate ventilation.
- 3. Small quantities may be absorbed on paper towels. Evaporate in a safe place (such as fume hood). Burn paper in an approved incinerator or open pit away from buildings and people. Large quantities can be collected and atomized in a suitable combustion chamber. Spills in sensitive areas may be diluted and flushed to ground with a water spray. Do not flush to sewer or other confined space.
- 4. Spills should be reported according to Federal, State and Local regulations.

Waste Disposal Methods: Absorb in vermiculite, dry sand, earth or a similar material and

dispose in a secured sanitary landfill or dispose of via a licensed

waste solvent disposal company.

Clean Water Act Requirements: Not applicable

Resource Conservation and Recovery Act (RCRA) Requirements:

Methanol is assigned a hazardous waste number of U154 under 3001. It is considered a toxic waste.

# SECTION X - TOXICOLOGICAL/ECOLOGICAL INFORMATION

Oral:

Human LD (Lo) - 240 mg/kg

Dermal:

Monkey LD (Lo) - 500 mg/kg

Inhalation:

Human TC (Lo) - 86,000 mg/m<sup>3</sup> - lacrimation; cough, other

changes to lungs, thorax or respiration.

Carcinogenicity:

Not listed in "Second Annual Report on Carcinogens", 1981, NTP.

Other Pertinent Data:

Recommended std-air: TWA 200 ppm; C1 800 ppm/15m

## SECTION XI - TRANSPORTATION DATA

D.O.T.:

Proper Shipping Name - Methyl Alcohol

Hazard Class - Flammable Liquid Label Required - Flammable Liquid Identification Number - UN-1230

Other Pertinent Information - See 45 CFR 172.101, page 34625

Product Name: Pitt Penn Premium Windshield Washer Concentrate

Page 6

## SECTION XII - REGULATORY INFORMATION

FDA:

Regulated under 21 CFR 176.200 (d) (3) as a component of defoaming agents which may be safely used as components of articles intended for use in producing, manufacturing, packing, processing, preparing, treating, packaging, transporting or holding food. Also regulated under 176.210 as a component of defoaming agents used in the manufacture of paper and paperboard. Approved as component of paper and paperboard in contact with dry food. [See 176.180 (b) (2)] Listed under 175.105 for use as

component of adhesives.

USDA:

Information unknown at time of publication.

Canadian TDG:

Methanol, Flammable Liquid 3, UN-1230, Packing Group III

(See Hazardous Substances Labeling Guides - 9010.125)

TSCA:

CAS # 67-56-1

WHMIS:

Canada B2, D1A

NFDA Rating:

Health -1

Fire - 3

Reactivity - 0

## SECTION XIII - USER INFORMATION

The information and data herein are believed to be accurate and have been compiled from sources believed to be reliable. It is offered for your consideration, investigation, and verification. Buyer assumes all risk of use, storage and handling of the product in compliance with applicable Federal, State and Local laws and regulations.

Relating to any party's use of or reliance on information and data contained herein regardless of whether it is claimed that the information and data are inaccurate, incomplete or otherwise misleading, this information relates to the material designated and may not be valid for such material used in combination with any other materials or in any process.